

#### **SPECIFICATIONS**

Tested model	Kardian
Body type	5 door SUV
Year of publication	2024
Crash test weight (KG)	1408
VIN from which Rating applies	
Made in	Brazil
Test valid for	Latin NCAP market




# SAFETY EQUIPMENT

SAFETT EQUIFIVIENT				
	DRIVER	PASSENGER	REAR	
FRONTAL CRASH PROTECTION				
Frontal airbag	YES STANDARD	YES STANDARD	NOT APPLICABLE	
Belt pretensioner	YES STANDARD	YES STANDARD	NOT AVAILABLE	
Belt Loadlimiter	YES STANDARD	YES STANDARD	NOT AVAILABLE	
Knee airbag	NOT AVAILABLE	NOT AVAILABLE	NOT APPLICABLE	
SIDE CRASH PROTECTION				
Side head curtain airbag	YES STANDARD	YES STANDARD	YES STANDARD	
Side head (thorax head) airbag	NOT AVAILABLE	NOT AVAILABLE	NOT AVAILABLE	
Side Chest airbag	YES STANDARD	YES STANDARD	NOT AVAILABLE	
Side pelvis airbag	YES STANDARD	YES STANDARD	NOT AVAILABLE	
CHILD PROTECTION				
ISOFIX	NOT APPLICABLE	NOT AVAILABLE	YES OUTBOARD SEATS	
Integrated CRS	NOT APPLICABLE	NOT AVAILABLE	NO	
Airbag cut out switch	NOT APPLICABLE YES MANUAL NOT APPLICA			
SAFETY ASSIST				
Seat Belt Reminder (SBR)	YES STANDARD	YES STANDARD	YES STANDARD	
OTHER SAFETY SYSTEMS				
ESC standard		YES STANDARD		
GTR 9 - UN 127 Pedestrian protection	NO PEDESTRIAN PROTECTION			
AEB Pedestrian	NOT AVAILABLE			
AEB City	NO-JUST OPTIONAL			
AEB inter-Urban		NO-JUST OPTIONAL		
Speed Assist System	YES STANDARD			
Lane Assist system	NOT AVAILABLE			




#### FRONTAL OFFSET DEFORMABLE BARRIER 11.5 p



SIDE MOVABLE DEFORMABLE BARRIER TEST (car) 7.55 p


#### WHIPLASH REAR IMPACT

2.03 p



7.24 p

SIDE POLE IMPACT TEST (Pole) this test is inly performed if side head impact protection is present,



UN R32 (max 1 point)	1
AEB City (max 3 points)	3
Rescue Sheet (max 1 point)	1

#### FUEL LEAKAGE DETECTED IN ANY TEST CONFIGURATION

NO



### **ADULT OCCUPANT**

33.36 points 83.41%



#### **COMMENTS**

**Adult Occupant - Frontal impact:** The protection offered to the driver and passenger head and neck was good. Driver's chest showed marginal protection while passenger's chest received adequate protection. Driver's and Passenger's knees showed marginal protection as they can impact dangerous structures behind the fascia. Driver and passenger's right tibias showed good protection while driver and passenger's left tibias showed adequate protection. Footwell area was rated as unstable. The bodyshell was rated as stable and it is capable of withstanding further loadings. Side impact: Head, abdomen, and pelvis showed good protection while chest protection was adequate. Side Pole Impact: head, abdomen and pelvis protection was good, chest protection was marginal. Whiplash: the seat showed marginal protection to the adult neck. UN R32: the car proves to meet the rear impact structure requirements. AEB City: offers optional AEB City and it meets Latin NCAP availability requirements. **Rescue sheet:** available according to Latin NCAP criteria.

#### **CHILD RESTRAINT SYSTEM**

Dynamic score: 19.99 (max 24)

Installation score: 11.64 (max 12)

Vehicle assessment score: 9.00 (max 13)

	CHILD RESTRAINT	DYNAMIC SCORE	CRS TYPE	ADJUST	POSITION
18 month old child	Joie Spin 360	Front 7.99 (8 max) Side 4.00 (4 max)	0+/I	ISOFIX/LEG	RWF
3 year old child	Joie Spin 360	Front 8.00 (8 max) Side 0.00 (4 max)	0+/I	ISOFIX/LEG	RWF

	Front Passenger	2nd row outboard	2nd row centre
ISOFIX	NOT AVAILABLE	YES STANDARD	NOT AVAILABLE
I-Size	NOT AVAILABLE	YES STANDARD	NOT AVAILABLE
Integrated CRS	NOT AVAILABLE	NOT AVAILABLE	NOT AVAILABLE

#### CRS INSTALLATION ASSESSMENT

						2ND ROW	
REFERENCE LIS	Т			RIGHT	LEFT	CENTER	RIGHT
Group 0+	Peg Perego Vi	aggio Switchable				×	
Group 0+	Roemer Baby	Safe		$\circ$		$\circ$	
Group 0+	Bébé Confort	Streety Fix / Maxi Cosi Citi SPS					
Group I	Peg Perego Vi	aggio Switchable FWF		$\circ$			
Group I	Graco Cadeira Nautilus FWF		$\circ$				
Group II/III	Burigotto Multipla 1,2,3		$\circ$				
Group II/III	Graco Cadeira	a Nautilus		$\circ$			
MANUFACTURER				RIGHT	LEFT	CENTER	RIGHT
Q1.5	Joie Spin 360	ISOFIX/LEG		0	•	0	
Q3	Joie Spin 360	ISOFIX/LEG		$\circ$		0	
Pass	× Fail	O Exempt		*Fa	ail only du	ie to failed r	narking



40.63 points 82.92%



#### **COMMENTS**

Child Occupant - The child seat for the 3-year-old child was installed rearward facing using ISOFIX anchorages and support leg. It was capable of preventing head exposure. The Q1.5 was installed rearward facing using ISOFIX anchorages and support leg following global best practices, the CRS could prevent head exposure while slight high chest deceleration was recorded in the chest. Side Impact: the 1.5 years old showed full protection while the 3 years old showed head exposure increasing the risks of injuries. All but one of the CRSs tested for installation passed. The car has ISOFIX anchorages as standard, meeting also i-Size marking requirements. All seating positions are equipped with three-point seatbelts. Airbag warning when a rearward CRS is installed in the passenger seat meets Latin NCAP requirements. The car has passenger airbag disconnection via manual switch as standard.

### PEDESTRIAN PROTECTION (pasive)

**23.02 points** 

The car does not prove to meet pedestrian protection regulations



	Points	Max score
Head impact	15.05	24
Upper Leg impact (Pelvis)	1.97	6
Lower Leg impact (Leg)	6.00	6

AEB PEDESTRIAN NO TEST

Balance factor for Pedestrian protection (until 2022)

Name of System	-
speed range Minimum (km/h)	-
speed range Maximum (km/h)	-

#### **PERFORMANCE**

Summary	Percentage
Adult Running, farside, 50%	-
Adult Walking, nearside, 25%	-
Adult Walking, nearside, 75%	-
Child Running, nearside oscured, 50%	-
Human Machine Interaction	-



#### **PEDESTRIAN PROTECTION**

23.02 points 47.96%



#### **COMMENTS**

**Pedestrian Protection** - The car does not prove to meet Pedestrian protection UN127 regulations. The car showed majority of head impact areas with good and adequate protection, head protection towards the windscreen and A-pillar showed poor protection. Upper leg performance was weak to poor, lower leg performance was good. AEB VRU: the car does not offer AEB VRU.



#### SPEED ASSISTENCE

3.00 points

SEAT BELT REMINDER

10.00 points

(this feature scores only if it is standard in all versions)

(this feature scores only if it is standard in all versions)

Warning	Driver	Passenger	Rear Passenger
Visual	<b>✓</b>	<b>✓</b>	<b>✓</b>
Audible	<b>✓</b>	<b>✓</b>	

### LANE SUPPORT SYSTEMS

NO TEST

LDW is not available according to Latin NCAP requirements LKA is not available according to Latin NCAP requirements

System Name	-
Functionality	-
Operational from (km/h)	-
Warning	-

# PERFORMANCE

LKA Test	-
LDW Test	-

 $ROAD\ EDGE\ DETECTION\ (this\ feature\ scores\ only\ if\ it\ meets\ the\ fittment\ rates\ required)$ 

NO TEST

\_

 $BLIND\ SPOT\ DETECTION\ (this\ feature\ scores\ only\ if\ it\ meets\ the\ fittment\ rates\ required)$ 

NO TEST

-

ESC 15 points

ESC IS STANDARD IN ALL VERSIONS ESC Meets regulatory requirements of Latin NCAP

## MOOSE TEST - for information only - no scoring

## ADAC MOOSE TEST

Max Speed Achieved in test without failures (km/h)

90

## MOOOSE TEST: CONSUMER TESTING

Max Speed Achieved in test without failures (km/h) 75

AEB Interurban (this feature score	s only if it me points ets the fitment rates required)	8.03 points
System Name	-	
Functionality	FCW and AEB	
Operational from (km/h)	7	

## PERFORMANCE

	AEB	Driver Reacts to warning
Operational Speed (km/h) Min   Max	7 km/h - 80 km/h	7 km/h - 80 km/h
Approaching a slower moving car	Crash avoided up to 65 km/h	Crash avoided up to 75 km/h

## **FOLLOWING A CAR AT SHORT DISTANCE**

1 OLLOWING A CARACAT STORY BISTARCE				
	AEB	Driver Reacts to warning		
Car in front brakes gently	Avoidance	Avoidance		
Car in front brakes harshly	Avoidance	Avoidance		

## FOLLOWING A CAR AT LONG DISTANCE

	AEB	Driver Reacts to warning
Car in front brakes gently	Avoidance	Avoidance
Car in front brakes harshly	Avoidance	Avoidance



# **SAFETY ASSIST**

36.03 points 83.78%



## COMMENTS

Safety Assist - SBR: The car offers SBR in all seating positions. ESC: The car offers ESC as standard. The Moose test performance reached a maximum of 90 km/h under ADAC Moose test and 75 km/h under Consumer magazine Moose test. SA: the car offers a speed limitation device as standard. BSD: The car offers BSD as optional but not meeting Latin NCAP fitment requirements, it was not assessed. LSS and RED: The car does not offer LSS and RED. AEB Interurban: The car offers AEB Inter Urban with good performance and meeting Latin NCAP availability requirements.

